

Say (v1.1)

1. Description

This plugin allows you to speak via the bot.

The Say plugin lets you send messages or actions to a channel using the bot. You can also make an announcement to all channels that the bot is in (shout). It can, optionally, show who sent the message.

2. Configuration

The configuration file for this plugin is **system/Say/SayConfig.xml**

2.1. commandSay

The command for making the bot say something in a channel. You can set the `authLevel` to control who is allowed to access the command, and `showSpeaker` to control whether or not the messages are prefixed with the user that is using the bot to speak through.

- **authLevel** - ANY, ADMIN, MASTER, TRUSTED, NONE
- **showSpeaker** - YES, NO

```
<commandSay authLevel="trusted" showSpeaker="yes">say</commandSay>
```

2.2. commandAction

The command for making the bot do an action in a channel. You can set the `authLevel` to control who is allowed to access the command, and `showSpeaker` to control whether or not the actions are suffixed with the user that is using the bot to speak through.

- **authLevel** - ANY, ADMIN, MASTER, TRUSTED, NONE
- **showSpeaker** - YES, NO

```
<commandAction authLevel="trusted" showSpeaker="no">me</commandAction>
```

2.3. commandShout

The command for making the bot say something in all channels it is in. You can set the `authLevel` to control who is allowed to access the command, and `showSpeaker` to control whether or not the messages are prefixed with the user that is using the bot to speak through.

- **authLevel** - ANY, ADMIN, MASTER, TRUSTED, NONE
- **showSpeaker** - YES, NO

```
<commandShout authLevel="trusted" showSpeaker="yes">shout</commandShout>
```

2.4. Old-style configuration options

These are a couple of wider options, kept for backwards-compatibility - they work as described (like in earlier versions), but are overridden if the new configuration options are used.

These options are [deprecated](#), and may be removed in the future.

2.4.1. authLevel

The level a user has to be authenticated at to be able to use the Say features. Valid values are ANY, ADMIN, MASTER, TRUSTED, NONE.

```
<authLevel>trusted</authLevel>
```

2.4.2. showSpeaker

If the user using the bot to speak through should be shown as a prefix to the message. Does not affect actions. Valid values are YES and NO.

```
<showSpeaker>yes</showSpeaker>
```

3. Commands

3.1. Speak through the bot

Command: say

Description: This will make the bot say the message in the #channel you give

Auth Level: trusted

Where to give command: private message

Outputs to: channel

Example(s):

- say #deaded hello, I am BotEd

3.2. Perform an action through the bot

Command: me

Description: This will make the bot show the action in the #channel you give

Auth Level: trusted

Where to give command: private message

Outputs to: channel

Example(s):

- me #deaded does a little dance

3.3. Announce to all channels the bot is in

Command: shout

Description: This will make the bot say the message in all of the channels it is in

Auth Level: trusted

Where to give command: private message

Outputs to: channel

Example(s):

- shout Restarting for an update...

4. Change History

| | |
|------|--|
| v1.1 | By EdorFaus : updated the configuration file to be more flexible(old style is still understood, but deprecated). |
| v1.0 | First Version by DeadEd |