

# BF2Stats (v1.0)

## 1. Description.

A plugin to display live stats from gamespy for Battlefield 2.

## 2. Configuration

The configuration file for this plugin is **system/BF2Stats/BF2StatsConfig.xml**

### 2.1. commands

Contains command elements (see below).

### 2.2. command

Defines an IRC command, which will be available in the bot after this plugin is loaded.

Contains one or more response elements

Example:

```
<command command="!bf2combat"
  method="getplayerinfo.aspx"
  description="Shows combat statistics"
  authLevel="none"
  output="channel">
  <response pattern="{nick}: Kills/Assists/Streak[{kill}]{kila}{bksk}]
Deaths/Streak[{deth}]{wdsk}]]"/>
  <response pattern="Kills/deaths per minute[{klpm}]{dtpm}] Kills/deaths per
round[{klpr}]{dtpm}]]"/>
</command>
```

#### 2.2.1. command Attributes.

<b>command</b>	required, command name as to be typed by an IRC user.
<b>method</b>	required, defines which type of stats data to fetch from gamespy. For a list of available methods look at the <a href="#">BF2 Technical Information Wiki</a> .
<b>description</b>	required, used in the help messages.
<b>authLevel</b>	required, authLevel of users to which the command will be available. One of: none, any, trusted, master, admin
<b>output</b>	required, one of: channel, private, notice

## 2.3. response

Defines the output(s) to the command.

Allowed within command elements.

### 2.3.1. response attributes

<b>pattern</b>	required, format of the response with placeholders for the values. placeholders are within curly braces, for example {kill} will insert the total kills. For a list of available placeholders, look at the <a href="#">BF2 Technical Information Wiki</a> .
----------------	---

Example:

```
<response pattern="{nick}: Global Score[{scor}] Combat Score[{cmsc}] Teamwork Score[{twsc}] Time played[{time}]"/>
```

## 2.4. cacheExpiry

Time in milliseconds the stats are cached (and served from cache).

Default: 1800000 (30 minutes)

Example:

```
<cacheExpiry>1800000</cacheExpiry>
```

## 2.5. baseURL

Base URL for all gamespy queries.

No need to change this, unless gamespy changes it.

Default: <http://bf2web.gamespy.com/ASP/>

Example:

```
<baseURL>http://bf2web.gamespy.com/ASP/</baseURL>
```

## 3. Commands

Usage for all commands is "commandname bf2-nick". Available Commands are configurable, here's a list of the default commands:

<b>!bf2stats</b>	Show overall BF2 stats for the given nick
<b>!bf2combat</b>	Shows combat statistics
<b>!bf2stats2</b>	Show additional BF2 stats for the given nick
<b>!bf2id</b>	Displays the pid for the nick
<b>!bf2round</b>	Shows best round scores for the given nick

<b>!bf2rank</b>	Shows the global rank
<b>!bf2fav</b>	Show favourite kit, weapon, map etc.
<b>!bf2s</b>	Shows a link to the stats on <a href="http://www.bf2s.com">www.bf2s.com</a>
<b>!bf2vehicle</b>	Shows driver statistics

#### 4. Change History

v1.0	First Version by <a href="#">jawe</a>
------	---------------------------------------